




Foto: Lou Menezes

Sarneyanum um novo *Cyrtopodium*

Por Lou Menezes

Espécie terrestre de solo argilo-arenoso encontrada vegetando no interior de mata arbustiva ao abrigo parcial da luz solar, no Município de Pimenta Bueno, Estado de Rondônia.

As plantas desta espécie exibem folhas coriáceas e plicadas muito grandes para o gênero e pseudobulbos ovóide-alongados com 10cm de altura; a haste floral (100cm de altura), geralmente apresentando duas ramificações, mostra flores inacreditavelmente grandes quando comparadas às demais espécies brasileiras do gênero, ou seja, com 4cm de diâmetro; as pétalas são amarelo-esverdeadas

com as extremidades maculadas de marrom acastanhado e as sépalas predominantemente amarronzadas; o labelo amplo possui um lobo médio arredondado, amarelo vivo com margem circundante levemente verrucosa; os lobos laterais típicos da maioria das espécies são coloridos quase que totalmente de castanho alaranjado; o calo é verrucoso-rugoso.

Cyrtopodium sarneyanum é dedicado ao Deputado José Sarney Filho, Ministro do Meio Ambiente, em face de sua luta em prol da preservação e conservação da natureza no Brasil. Floresce no fim de outubro e início de novembro, em plena primavera.

▼ Description

Terrestrial species growing in clayey-sandy soil in scrub forest partially sheltered from sunlight, in the municipality of Pimenta Bueno, Rondônia State.

Plants of this species have leatherly, plicate leaves that are very large for the genus, and elongate-ovoid pseudobulbs 10cm in height. The flower spike (100cm in height) generally has two branches bearing flowers that are incredibly large compared with those of other Brazilian species of the genus, i.e., 4cm in diameter. The petals are greenish-yellow with brown-spotted tips, while the sepals are predominantly brownish. The broad lip has a rounded midlobe that is bright yellow with a slightly verrucose margin. The lateral lobes are typical of most other species, almost completely orange-brown. The callus is verrucose-rugose.

Cyrtopodium sarneyanum is named in honor of José Sarney Filho, Minister of Environment, for this efforts on behalf of the preservation and conservation of nature in Brazil. It flowers in late october and early november, in the middle of spring.



▼ Diagnosis:

Cyrtopodium sarneyanum

L. C. Menezes sp. nov.

Planta terrestris in solo argilo-arenoso; radicibus crassiusculis, fasciculatis; pseudobulbi fere omnino humo tecti, conico-ovati, 8-10cm alti; folia 4-6, coriacea, plicata, 36-62cm longa, 5-6cm lata, apice acuto; inflorescentia racemosa, erecta, 100cm alta; bracteis floralibus ovato-lanciolatis, 3,6cm longis, 1,6cm latis, apice acuto; flores cum 4cm in diametro; sepalis cum marginibus undulatis; colore brunneo-fulvo, 2,5cm longis, 1,4cm latis, apice acuto; petalis colore flavo cum apice rotundato brunneo-fulvo, 2cm longis, 1,4cm latis; labello cum lobis

lateralibus rotundatis et apice ampliato colore brunneo-fulvo; lobo mediano colore flavo ardenti, rotundato cum margine leviter rugosa; callo amplo verruculoso rugoso; columna teretiuscula paulum clavata et curvata; rostello apice triangulari conspicue projecto; pollinis binis et globulosis; capsula ignota.

Habitat in Statu Rondonia. Floruit mense novembri anni 1999. Legit Lou Menezes. Holotypus - UB78